

RICOH
imagine. change.



ScanSnap
iX2500



Connect your worlds
with one touch.

Digitize, share, and access scanned data instantly with our most connected scanner.

Use any iX2500 as your personal iX2500

The iX2500 is the perfect companion in this era of diverse and flexible work styles. Just connect the ScanSnap iX2500 to your device to apply a profile with your scan settings and addresses to the scanner. Regardless of whether you are at home, the office, or a rental coworking space, you can save documents to your usual cloud service and run scans with your preferred settings.

Operate from the large 5-inch touch screen, even without a PC or smartphone

The scanner comes with a large 5-inch capacitive screen with improved response, enabling intuitive operation of the scanner. You can view scan profiles that were created on your PC or smartphone as visual icons on the touch screen. Once a scan profile has been made on a PC or smartphone and imported to the scanner, you only need to operate the touch screen to save data directly to network-attached storage (NAS) or a cloud service, or to send data via email. In addition, you can easily switch users on the touch screen to display your settings and icons. This makes it easy to share the scanner between colleagues and family members.

ScanSnap Go: A quicker and more secure way to scan in shared environments



Simply bring your smartphone close to the ScanSnap iX2500 to immediately apply your settings to the scanner. This feature temporarily applies your profile to the scanner, enabling you to save not only to your smartphone, but to your preferred cloud service as well. Convenient but secure short-term use in a shared environment is realized.



Comfortable scanning with ultra high speed performance and large capacity

High performance as a flagship model

The iX2500 thrives at 45 ppm and can hold up to 100 A4 sheets at a time. Even when the Receipt Guide is installed, 50 A4 sheets can be loaded, making it easy to scan large volumes of documents.

Stable paper feeding technology

The iX2500 is equipped with the brake roller feature and the ultrasonic multi-feed sensor. These features ensure smooth and stable paper feeding and reliable multi-feed detection. Additionally, the scanner's skew detection function stops feed operation to prevent damage if paper is fed at an angle, thereby protecting your important documents.

Wi-Fi connectivity for both smartphones and PCs

The ScanSnap iX2500 supports Wi-Fi (2.4 GHz and 5 GHz bands) and enables wireless saving to smart devices, network-attached storage (NAS), and the cloud without needing a PC.

With Wi-Fi 6 (IEEE 802.11ax) compatibility, the scanner ensures robust and stable communication, even in environments with radio interference and congestion.

Additionally, it supports the WPA3 security protocol and TLS 1.3, safeguarding your valuable information.



The all-in-one solution for document management



ScanSnap Home^{*1} is a comprehensive document management software specially designed for ScanSnap scanners. Easily manage, edit, and utilize scans with just one application. Both a PC version and mobile version are available.

Accommodates any scanning environment

- Create profile icons to preset save-to destinations, cloud services, color settings, and much more.
- Save as PDF, searchable PDF, and JPEG for versatile utilization of scanned data.
- For users of ScanSnap Home (for PC), the Quick Menu enables you to select saving and integration destinations after scanning, which raises productivity.

Accesses to the same data regardless of device and time with Data Sync^{*2}

The Data Sync feature allows you to synchronize scanned data between the PC and mobile versions of ScanSnap Home.

This enables access to the same data whether you scan using a PC or a smartphone. You can utilize scanned data across various locations and devices. For example, check scans done at the office or at home while on the go via your smartphone, or manage the same data on both office and home PCs.

Environmentally conscious

The scanner body is made of 25%^{*3} or more recycled plastic materials, and the packaging materials, etc., are free of virgin plastics derived from fossil resources.^{*4}

*1 There are some differences in supported features between the PC and mobile versions. Also, some features are unavailable in regions where ScanSnap Cloud is not supported. For details, please visit our website at: <https://www.pfu.ricoh.com/global/scanners/scansnap/sshome/#tab-b-05>. *2 Data Sync will be available in a later update. An account for a cloud storage service that Data Sync supports is required to use Data Sync. *3 The percentage of recycled plastic used may vary depending on procurement conditions. *4 Pre-consumer materials, which have not been used by consumers and are generated during the manufacturing and molding processes, are used.

General Specifications

Product name	ScanSnap iX2500 (White/Black)	
Scanner type	ADF (Automatic Document Feeder)/Manual Feeder, Duplex	
Scanning color mode	Color, Grayscale, Monochrome, Automatic (Color/Grayscale/Monochrome ¹ detection)	
Image sensor	CIS x 2 (Front x 1, Back x 1)	
Light source	3 Color LED (Red/Green/Blue)	
Optical resolution	600 dpi	
Scanning speed ² (A4 portrait)	Auto mode (Default) ³	Simplex/Duplex: 45 ppm
	Normal mode	Simplex/Duplex: 45 ppm (Color/Grayscale: 150 dpi, Monochrome: 300 dpi)
	Better mode	Simplex/Duplex: 45 ppm (Color/Grayscale: 200 dpi, Monochrome: 400 dpi)
	Best mode	Simplex/Duplex: 45 ppm (Color/Grayscale: 300 dpi, Monochrome: 600 dpi)
	Excellent mode ⁴	Simplex/Duplex: 13 ppm (Color/Grayscale: 600 dpi, Monochrome: 1,200 dpi)
Document size	Normal scan ⁵	Minimum: 50.8 x 50.8 mm (2 x 2 in.) Maximum: 216 x 500 mm (8.5 x 19.68 in.) ⁷
	Manual scan	Minimum: 50.8 x 50.8 mm (2 x 2 in.) Maximum: 216 x 500 mm (8.5 x 19.68 in.) ⁸
	With Photo Carrier Sheet (Option) ¹	Minimum: 25.4 x 25.4 mm (1 x 1 in.) Maximum: 127 x 178 mm (5.0 x 7.0 in.)
	With Carrier Sheet (Option) ¹	Minimum: 25.4 x 25.4 mm (1 x 1 in.) Maximum: 297 x 431.8 mm (11.69 x 17 in.)
	With Booklet Carrier Sheet (Option) ¹	-
	Long paper scanning ⁶	PC Smart Device / Cloud / NAS
Paper weight (Thickness)	40 to 209 g/m ² (11 to 56 lb) A8 size or less: 128 to 209 g/m ² (34 to 56 lb) Cards: 0.76 mm or less (Compliant with the ISO7810 I-D1 type) (Includes embossed cards in landscape orientation)	
ADF capacity ¹⁰	100 sheets (A4, 80 g/m ² or 20 lb)	
Interface	USB	USB3.2 Gen1x1 / USB3.1 / USB3.0 / USB2.0 / USB 1.1 (Connector Type: Type-C)
	Wi-Fi	IEEE802.11a/b/g/n/ac/ax Frequency band: 2.4 GHz / 5 GHz ¹¹
Wi-Fi Connection Mode	Access Point Connect Mode (Infrastructure mode) ¹² Direct Connect Mode (Ad-hoc mode) ¹³	
LCD	5 in. color IPS touch screen	
Power requirement	AC 100 to 240 V, 50/60 Hz	
Power consumption	Operating	Approx. 17 W
	Sleep mode (USB connection)	1.0 W or less
	Sleep mode (Wi-Fi connection)	1.4 W or less
	When the power is off (default Normal mode)	0.2 W or less
	On standby in Fast mode (Wi-Fi off)	1.0 W or less
On standby in Fast mode (Wi-Fi connection)	1.4 W or less	
Operation environment	Temperature: 5 to 35 °C (41 to 95 °F) Relative humidity: 20 to 80% (Non-condensing)	
Dimensions (W x D x H)	Min.: 292 x 161 x 159 mm (11.50 x 6.34 x 6.26 in.) (storage size) Max.: 292 x 477 x 286 mm (11.50 x 18.78 x 11.26 in.) (when the extension and the stacker are extended)	
Device weight	3.5 kg (7.7 lb)	
Environmental compliance	ENERGY STAR/RoHS	
Multifeed detection	Overlap detection (Ultrasonic sensor), Length detection	
Driver	ScanSnap Home (ScanSnap specific driver) •Windows: Does not support TWAIN/ISIS™ •macOS: Does not support TWAIN	

¹ Available only when connecting to a computer. ² Scanning speeds may vary due to the system environment. For details, please visit our website at: <https://www.pfu.ricoh.com/global/scanners/scansnap/>. ³ Scans will be performed in 300 dpi (Color/Grayscale) or 600 dpi (Monochrome) if shorter sides are less than 105 mm, and in 200 dpi (Color/Grayscale) or 400 dpi (Monochrome) if shorter sides exceed 105 mm. ⁴ This mode is not available when using ScanSnap Cloud or when saving directly to a network folder. ⁵ A3 scans are possible with use of A3 carrier sheets. ⁶ A document longer than A4 paper can be scanned one by one. Available in all modes except for "Excellent mode". ⁷ The maximum document length is 360 mm (14.17 in.) when the resolution is set to Excellent, or when using a custom size setting. ⁸ A3, B4, 11 x 17 in. document sizes are required to be folded in half. ⁹ Up to 360 mm in Excellent mode. ¹⁰ Maximum capacity varies, depending upon paper weight. ¹¹ Availability of 5 GHz Wi-Fi may vary depending on region. ¹² Access Point Connect Mode requires a Wi-Fi access point or router. ¹³ 5 GHz Wi-Fi is not available with Direct Connect Mode.

Consumables

Description	Part number	Remarks
Roller Set	PA03860-0001	Lifetime: Every 200,000 sheets ¹
Cleaner F1	PA03950-0352	100 ml bottle For use on the Brake roller and Pick roller
Cleaning Wipe	PA03950-0419	24 packets For use on the Brake roller and Pick roller
Cleaning Paper	CA99501-0012	10 sheets Use this non-woven sheet with Cleaner F1

¹ Replacement cycles are guidelines for using A4 documents (80 g/m² [20 lb]). These cycles vary depending on the type of documents scanned, how often the scanner is used and cleaned, and your operating environment.

² It is recommended to use original or approved accessories for consumables, options and cleaning kits, specially designed for your device. Device failures, troubles and damages arising from use of OEM or 3rd Party accessories may render your warranty invalid and incur charges for repair even during the warranty period.

Options

Description	Part number	Remarks
Carrier Sheets ¹	PA03360-0013	Contains 5 sheets supporting photographs and various document sizes
Photo Carrier Sheets	PA03770-0015	Contains 3 sheets supporting photographs (E-size, L-size, King-size), postcards, and business cards
ScanSnap Bag	PA03951-0651	Stores one ScanSnap unit and accessories

¹ Although ScanSnap Carrier Sheets have a listed lifespan of 500 scans, the lifespan may vary with usage. ScanSnap Carrier sheets are intended to scan paper documents with weights of 209 g/m² or less. They also support the scanning of folded documents that are as large as 216 x 297 mm.

ScanSnap iX2500 System Requirements

• Windows

Operating systems	Windows 11 (64-bit) Windows 10 (32-bit / 64-bit) ^{1,2}	
Hardware requirements ³	CPU ⁴	Intel or Intel-compatible processors, ARM processors ⁷
	Display resolution	1,024 x 768 pixels or more
	Disk capacity ^{5,6}	3.8 GB or more of free disk space

¹ The iX2500 is not supported on Windows 10 Enterprise 2015 LTSB or on ARM-based Windows 10. ² Operate Windows in desktop mode. ³ The ScanSnap device may not work if the connected computer does not meet these requirements. ⁴ Scanning speeds may vary due to the system environment. ⁵ Indicated disk capacity requirements apply when downloading ScanSnap Home (for PC). ⁶ .NET Framework 4.8 or later must be installed. If it is not installed, it is installed with ScanSnap Home (for PC). Up to 4.5 GB of disk space is required for the installation. ⁷ Kofax Power PDF Standard does not support ARM processors. For details on ARM processor support in other third-party applications integrated with ScanSnap Home, please contact the respective manufacturer or provider.

⁸ Please refer to the ScanSnap website for the latest support information of the driver and applications. Compatibility may differ depending on the software's version. ⁹ The system requirements may change depending on the support policies of the above system and third-party software.

• Mac

Operating systems	macOS Monterey 12 or later	
Hardware requirements ¹	CPU ²	Intel processor or Apple silicon
	Display resolution	1,024 x 768 pixels or more
	Disk capacity	2.5 GB or more of free disk space

¹ The ScanSnap device may not work if the connected computer does not meet these requirements. ² Scanning speeds may vary due to the system environment.

³ Compatibility may differ depending on software versions. Please visit the ScanSnap website for latest information on driver and application support. ⁴ The system requirements may change depending on the support policies of the above system and third-party software.

• Other Devices

iOS/iPadOS	iOS 16 or later/iPadOS 16 or later	
Android™/ChromeOS ¹	Android 10 or later/ChromeOS 138.0.7204.178 or later	

¹ ScanSnap Go is not supported in ChromeOS environments. ² Wi-Fi environment is required.

• Software

Windows	Mac	iOS/iPadOS	Android™/ChromeOS
ScanSnap Home (for PC) ¹		ScanSnap Home (for mobile)	
Kofax Power PDF Standard ^{2,3}	Kofax Power PDF Standard for Mac ^{2,5}		

¹ ScanSnap Home (for PC) installation requires a computer and Internet. Please visit the company website for download information. <https://www.pfu.ricoh.com/global/scanners/scansnap/g-support/en/> ² Please refer to the included license certificate to download the software. ³ The actual bundled software may vary depending on the region and shipment date. ⁴ The Internet is required to download and update the software. We recommend updating to the latest version using the Internet connection.

Accessories

•Safety Precautions •AC Cable •AC Adapter •USB Cable •Receipt Guide

This scanner is designed to digitize materials that can be reproduced lawfully, in accordance with applicable copyright regulations and other laws. ScanSnap users are responsible for how they use this scanner. It is imperative that ScanSnap users comply with all applicable local rules and laws, including, without limitation, copyright laws when using this scanner.

¹ Product names and company names are the registered trademarks or trademarks of the respective companies.



PFU Limited has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are trademarks or registered trademarks of the U.S. Environmental Protection Agency.

Safety Precautions	Be sure to carefully read all safety precautions prior to using this product and use this device as instructed.	Do not place this device in wet, moist, steamy, dusty or oily areas. Using this product under such conditions may result in electrical shock, fire or damage to this product.
--------------------	---	---

PFU Limited

RICOH and RICOH logo are registered trademarks of Ricoh Co., Ltd. Other product names are the trademarks or registered trademarks of the respective companies.

Specifications are subject to change without notice. Visit the ScanSnap website for more information. <https://www.pfu.ricoh.com/global/scanners/scansnap/>

<https://www.pfu.ricoh.com/global/>